Implementation Guide for

AHRQ's Making Informed Consent an Informed Choice

Training Modules



Implementation Guide for

AHRQ's Making Informed Consent an Informed Choice

Training Modules

Prepared for:

Disclaimer of Con ict of Interest

None of the authors has any af liations or nancial involvement that con icts with the material presented.

Funding Statement

This project was funded under contract number HHSA290201000031I, TO #3 from the Agency for Healthcare Research and Quality (AHRQ), U.S. Department of Health and Human Services. The opinions expressed in this document are those of the authors and do not re ect the of cial position of AHRQ or the U.S. Department of Health and Human Services.

Public Domain Notice

This document is in the public domain and may be used and reprinted without permission except those copyrighted materials that are clearly noted in the document. Further reproduction of those copyrighted materials is prohibited without the speci c permission of copyright holders.

Acknowledgements

The authors acknowledge the staff of the four hospitals that participated in the pilot testing of the modules, who shared their insights with the research team.

Suggested Citation

Suggested citation: Shoemaker S, Brach C. Implementation Guide for AHRQ's Making Informed Consent an Informed Choice Training Modules. Prepared under Contract No. HHSA290201000031I, TO #3. AHRQ Publication No. 17-0061-1-EF. Rockville, MD: Agency for Healthcare Research and Quality; January 2017.

Contents

Introduction 1
About This Guide 1
About The Training Modules 1
Who Is This Guide For? 2

Introduction

About This Guide

This guide is a companion to the AHRQ training modules: Making Informed Consent an Informed Choice: Training for Health Care Leaders (Leaders Module) and Making Informed Consent an Informed Choice: Training for Health Care Professionals (HCP Module). It provides guidance for implementing the training modules using a quality improvement (QI) approach. This guide offers ideas and suggestions for overcoming challenges in getting staff to take the modules and for putting the recommended improvement strategies into practice smoothly. The guidance is based on the implementation experiences of four hospitals that participated in a pilot test of these training modules, and on the experiences of other hospitals implementing quality improvements. Start by viewing the training modules. Viewing these modules will mark the beginning of your effort to improve informed consent.

About The Training Modules

The Leaders Module addresses improvements that can be made on the hospital level. The HCP Module addresses strategies that clinical teams can use to help patients make informed choices. Both modules cover the principles of informed consent, including patients' rights, legal and patient safety implications, and patients' capacity for decisionmaking. Each module can be taken for free continuing education credits on The Joint Commission's learning management system (LMS) for hospitals accredited by The Joint Commission.[1] Hospitals can also host the modules on their own learning management systems[2]. PDFs of module screenshots and audio scripts are available at: https://www.ahrq.gov/professionals/systems/hospital/informedchoice/index.html

[1]To enroll to take the modules for continuing education credit on The Joint Commission's learning management system, go to www.jointcommission.org/informed_consent_process_training.aspx.

[2]To request the modules to run on your own learning management system, or a PowerPoint file containing screenshots and the audio scripts of the modules, email healthliteracy@ahrq.hhs.gov.

Pilot hospitals reported that the modules were very helpful in gaining consensus around the need to improve informed consent policies and practices. Reactions to the modules included:

- We're not doing this well.
- This is great information.
- We have a lot to change.
- This happens all the time.
- We have to fix this now.

Organization of the Guide

This guide begins by explaining why improving informed consent is important. It then describes how to get started and briefly discusses how you might determine whether your hospital is ready to engage in informed consent improvement. The guide is then divided into two sections that correspond to the two training modules:

- Implementing the Leaders Module—this section takes you through the process of launching and implementing strategies from the Leaders Module, from creating a vision to measuring implementation.
-

Why Improve Informed Consent in Your Hospital?

- Your patients often do not understand what they have consented to even after signing the form.
- Your patients are not making informed choices.
- You are at risk of malpractice lawsuits related to informed consent.
- Your hospital had a Joint Commission accreditation finding related to informed consent.
- Your hospital's periodic audits revealed incomplete documentation.
- Your hospital's policy is imprecise.
- Your hospital's consent forms are long and confusing.
- Qualified interpreter services are not always available or used with patients with limited English proficiency.

Determining Readiness

Improving informed consent is similar to other hospital QI efforts. QI efforts often are derailed because organizations were not ready for them. Organizational readiness for change can be defined as "the extent to which organizational members are psychologically and behaviorally prepared to implement" a new evidence-based practice or intervention(s).[2] Readiness can be understood as 1) motivation—the willingness and commitment of the hospital to implement improvements to informed consent, and 2) capability—the staff's perceived ability to institute change or, alternatively, the degree to which individual staff feel they can be effective in implementing the informed consent strategies.[3,4]

In the adjacent box we provide a readiness assessment checklist to help you start thinking about whether an informed consent QI initiative is likely to succeed at this time at your hospital. Some of the checklist items were used to assess readiness when selecting hospitals for the pilot test of the training modules. Other items were drawn from a guide for deciding about whether to adopt innovations.[5] (Note: this readiness checklist has not been formally validated.)

Checklist to Assess Hospital Readiness

- Does your hospital have a strong rationale for improving informed consent?
- Does improving informed consent further your hospital's goals?
- Is improving informed consent with these training modules compatible with your hospital's mission, values, and culture?
- What are the potential costs, benefits, and risks of improving informed consent—and of not improving informed consent?
- Will hospital leadership support the training and improvements?
- Are there other competing initiatives or changes that will interfere?
- How will staff and other stakeholders react to this change?
- Will your hospital be able to reinforce and/or reward progress?
- Does your hospital have experience with quality improvement and change management?
- Does your hospital have the necessary infrastructure to monitor improvements?

Hospital readiness is not a constant. A hospital might not be ready at a given time—for example, because a new electronic health record system is being rolled out—but may then be ready a year later.

You can also work to make your hospital ready for informed consent QI. For example, leadership support is critical to virtually any QI undertaking. Effective approaches to secure and retain leadership support include aligning the change effort with organizational goals, and keeping leadership involved and informed throughout implementation.[6] Resources in the Leader's module, such as the Championing Change presentation and the Practical Guide to Improving Informed Consent,[7] provide guidance in getting leadership buy in.

Quick Starts

If your hospital is not yet ready for a comprehensive QI initiative to shift from informed consent to informed choice, you can still make progress. Review the two Quick Start alternatives below and get started.

Quick Start for Hospital-Level Improvement

- Take the Leaders Module.
- Choose one area for improvement.
- Assemble a work group to develop an improvement plan.
- Test and refine an improvement, for example:
  - Clarify an ambiguity in your informed consent policy.
  - Improve an informed consent form for one test, treatment, or procedure.
  - Assess decision aids used by one department and replace low-quality ones.
  - Arrange for telephone and/or video interpreters for languages not spoken by in-house interpreters and bilingual staff.
  - Require informed consent documentation prior to scheduling surgical procedures.

Quick Start for Unit-Level Improvement

- Take the HCP Module.
- Choose one area for improvement.
- Assemble a work group to develop an improvement plan.
- Test and refine an improvement, for example:
  - Coach clinicians to use plain language.

- Incorporate teach-back into the informed consent discussion.
- Ensure all staff know when and how to call for interpreter services and where equipment for telephone and video interpretation is kept.
- Create an inventory and sign-out sheet for educational and decision aids.
- Institute a check that all patients have been offered options and understand they have the choice to refuse treatment.

Once you've completed a Quick Start improvement, try to leverage your accomplishments. You can:

- Expand on or spread your initial improvement,
- Choose another area for improvement, or
- Re-assess your hospital's readiness to embark on a QI initiative to improve informed consent.

One way of lending authority and respect to the change lead is to have executive sponsors of the initiative. Executive sponsors communicate to hospital staff the importance of the initiative and meet regularly with the change lead to get progress reports. Having more than one executive sponsor can be helpful in reinforcing the message that this is a hospital-wide issue, and can protect against disruption should there be turnover in staff.

The change lead could come from a variety of departments, including: accreditation or compliance, patient safety, quality, physician or nursing leadership, patient education, or elsewhere. Table 1 provides some observations on the strengths and weaknesses of change leads from different parts of the hospital. Recruiting two complementary co-leads is an attractive option as the strengths of one co-lead could compensate for the weaknesses of the other. Like having more than one executive sponsor, having co-leads provides a hedge against implementation interruption in the event a change lead departs or transfers to another role in the organization.

Table 1. Strengths and Weaknesses of Change Lead Af liation

Change lead's af liation	Strength	Weakness
Accreditation and compliance	Commensurate with role, driven by accreditation standards, seen accreditation review ndings	Possible perception from HCP staff: limited on-the-ground understanding of IC practices
Nursing Leadership	Patient education expertise, in uence over nursing staff	No oversight of clinicians responsible for obtaining informed consent
Physician Leadership	In uence on clinicians responsible for obtaining informed consent, could introduce in grand rounds and staff meetings (e.g., surgery)	Very limited available time, competing priorities
Quality or Safety	Experience in QI and change management	Possible perception from HCP staff: limited on-the-ground understanding of IC practices
Patient Education	Expertise in improving written and spoken communication	No oversight of clinicians responsible for obtaining informed consent

Note: IC = informed consent

One or two people cannot manage a hospital-wide initiative on their own. Executive sponsors and change leads should recruit a strong change team—a group of individuals who will help roll out the training modules and implement the selected strategies from the training. Consider including representatives from the affected departments (e.g., compliance, accreditation, patient safety, quality, interpreter services, information technology), as well as representatives from the clinical units and different types of staff (e.g., nurses, physicians, residents, nurse educators, interpreters). Having physicians who either have direct lines of authority or hold a lot of sway with their colleagues will be important in achieving improvements in the informed consent discussion.

Executive sponsors and all members of the change team should take both the Leaders Module and the HCP Module. Additional leaders, especially with those whose staff are participating on the change team, may also benefit from taking both training modules. The Joint Commission is offering continuing education credit for completion of the modules on their LMS. You can also host the modules on your own LMS.

Assess Existing Informed Consent Policies and Practices

Your hospital should use your hospital's existing data sources or collect new information to understand what your current informed consent policies are, how well they are being followed, the workflow for the informed consent process and documentation, and the extent to which patients are making informed choices. The assessment results are intended to help your hospital identify opportunities for improvement and potentially set your goals for improvement.

It is important to collect data from multiple sources, since not everyone will share the same perspective. For example, leaders may assume that patient capacity to consent is always assessed, whereas staff may report that there are instances where it is not. Table 2 shows potential sources of information.

Table 2. Assessment Data Sources

Review Existing Data	Collect New Data
Accreditation review findings	Chart audit data[1]
Patient experience survey data on how easy doctors were to understand[2]	Assessments of patient understanding of forms[3]
Malpractice claims and payout data	Inventory and assessments of decision aids and other patient education materials used in informed consent discussions
Compliance review data	Survey data[4]
Interpreter services data	Interview data on familiarity and adherence to your hospital's policies, stories of communication failures, and effective approaches
Data on patient safety events and their impact (e.g., near miss, harm caused[5]).	Patient reports of safety events

[1]See A Practical Guide to Informed Consent[7] for audit tools.

[2]See the Patient Survey provided in Appendixes A and B.

[3]You can collect the informed consent forms used throughout your hospital and test patient understanding (e.g., "Can you tell me in your own words what are the potential risks of the surgery you are having?"[9]).

[4]Use the Health Care Professional Survey in the Appendix C to understand the extent to which physicians, physician assistants, nurse practitioners, and other nurses follow informed consent policy and use best practices. (Also see the survey in Practical Guide to Informed Consent[7]).

[5]For example, a patient safety event could be that no interpreter was involved in conversation with a patient with limited English proficiency, resulting in the patient's misunderstanding the nature of the procedure.

Table 3 provides examples of assessment findings from the pilot test hospitals that identified opportunities to improve informed consent.

Table 3. Examples of Assessment Findings from Pilot Test Hospitals

Area	Opportunities for Improvement
Policy	• Confusion as to whether (and which) residents could independently have the informed consent discussion with patients and sign the consent form. • Unclear who was a legitimate proxy for patient and able to provide consent. • Confusion as to which tests, treatments, and procedures require consent.
Forms	• Complex consent forms not understandable to patients and families. • Group practice consent form needed for Labor and Delivery in which a physician can sign for the entire group, since the on-call physician will be the one delivering a baby and may not necessarily be the patient's doctor or the one that signed the consent form. • Potential need for a separate form for anesthesia consent and blood products. • Lack of forms translated into patients' languages.
Compliance and Work ow	• Failure to adhere to hospital policy. • Consent obtained from patients with limited-English pro ciency withoutMC 3.461Co558 t the informed consent

Select Your Strategies

Based on the results from the assessment described in the previous section, you can select the strategies that your hospital will pursue. It is likely that there will be multiple

Table 4. Improvement Strategies and Implementation Suggestions Cont'd

Improvement Strategy	Suggestions for Implementation
Improve work ows	• Map out the work ow to identify inconsistencies with policy and inef ciencies. • Allow staff (e.g., nurses in pre-operative areas) to generate ideas on how the work ow could be improved. • Test improvements in one area before spreading changes.
Address staff training needs	• Determine which staff (or units) are unaware of policies, resources, or best prac tices and train staff. • Use different modes to train staff or reinforce training material (e.g., emails, news letters, postings, staff meetings). • Invest in getting the training right from the beginning. Poorly designed training will sour staff on the initiative. • Recruit and train in uential staff (e.g., department chiefs) to serve as training facilitators. • Pick the low-hanging fruit—train volunteers rst. They may be able to serve as peer coaches for others. • Create incentives for units that meet training goals. • Make training a credentialing requirement for non-employee clinicians who have hospital privileges.

For your hospital to make informed consent an informed choice, changes made at the hospital level must cascade down to the unit level. Staff need to be informed of and act on new policies, use new forms and decision aids, and avail themselves of resources to overcome communication barriers. You may find some of the topics covered in the next chapter, Implementing the Health Care Professionals Module, helpful as you activate staff to respond to the changes you have made.

De ne Measurable Objectives, Monitor, and Report

A critical part of any QI effort is to develop a written action plan with clear objectives and a realistic timeline, and to use that action plan to ensure that progress can be monitored and measured. Results of interim monitoring and measurement efforts should be reported back to leadership and staff, and used to adjust the action plan where necessary or appropriate. You will want to define SMART objectives (Specific, Measurable, Attainable, Relevant, and Time bound)[10] to track your progress toward your goals. Table 5 provides examples of SMART objectives.

Some goals may need to be broken down into some intermediate steps in order to monitor progress. For example, if your goal is improve the understandability of your informed consent forms, you might want to track the percentage of informed consent forms assessed, the percentage of forms revised, and the percentage of revised forms tested with diverse patients.

- Establish a sense of urgency. For example, you could frame the initiative as being critical to accreditation review preparation.
- Appeal to their sense of professionalism. Clinicians care about their patients and often don't realize that patients don't always understand their choices.
- Point out the personal advantages. They can receive continuing education credit and potentially reduce their malpractice exposure.
- Gain consensus that there's a problem. Conduct an assessment of your unit's informed consent practices. Discuss the issues that surfaced.
- Humanize the problem. Tell a compelling story about a patient's struggle to make an informed choice. If you can't come up with a story from your unit, use one from the module.
- Use peer pressure. Post a list of who has and who hasn't taken the training module in the hallway.
- Set deadlines. Set a date by which everyone is expected to complete the module. Or ask each clinician to set his or her own deadline and then follow up on that date.
- Engage in decisionmaking. Announce a meeting at which decisions will be made about which improvement strategies to pursue and make completion of the module a prerequisite to attending the meeting.
- Negotiate. Perhaps there is something you can temporarily take off their plates to make it easier from them to take the module.
- Assign employees (e.g., hospitalists, residents) to complete the module. Monitor and enforce completion. Provide release time to complete the training. This also communicates that this is a priority activity.

What Makes Them Tick?

Think about what motivates each clinician in your unit. Is he a stickler for the rules? Is he altruistic? Is she competitive? Does she dislike being told what to do? The tactic to get clinicians to take the module will likely differ depending on their personalities

Select Your Strategies

When choosing the topic for your initial improvement efforts, you'll want the benefits of an assessment of the informed consent practices in your unit. Please review the earlier

What would you do?

Your unit recently got video interpretation consoles. They're great, but they're constantly being left in patients' rooms. Staff sometimes aren't bothering to chase down the consoles when they have to talk to a patient or family with limited English proficiency. How might you solve this problem?

Define Measurable Objectives and Monitor Unit Improvements

As with any quality improvement initiative, it is important to establish SMART objectives to track progress. Table 6 contains examples of SMART objectives for each of the topics in the HCP module.

Table 6: Examples of SMART Objectives for Unit-level Improvements

References

1. Institute for Healthcare Improvement (IHI). How to Improve. http://www.ihi.org/resources/Pages/HowtoImprove/default.aspx
2. Aarons GA, Horowitz JD, Dlugosz LR, Ehrhart MG. The Role of Organizational Processes in Dissemination and Implementation Research. In: Brownson RC, Colditz GA, Proctor EK, editors. Dissemination and Implementation Research in Health: Translating Science to Practice. New York: Oxford University Press, Inc.; 2012. p. 128–53.
3.

Survey

We are doing this study to understand how to improve the informed consent process to treatment—a process by which a patient is told about the risks and benefits of proposed tests, treatments, or procedures, as well as alternatives, and makes a decision based on that information.

We are asking you to answer the following questions based on the talk you just had with the doctor or nurse about having a test, treatment, or operation. Your answers will help the hospital understand what information patients get before giving consent for tests, treatments, or operations. That will let the hospital make improvements.

Before you take this survey you should know the following:

- Your participation is voluntary.
- It should only take you 5 minutes to complete this survey.
- This survey does not collect any personal or health information about you.
- You do not have to complete this survey.
- Your medical care will not change in any way if you do not take this survey.
- Your relationship with your health care providers or the hospital will not change if you do not take the survey.
- If you decide to take this survey, you can stop answering the questions at any time.
- There is no cost to you for taking this survey.
- The principal risk of this survey is a small risk of loss of confidentiality. The survey team has many procedures in place to reduce this risk.

Who Spoke with You.

Who was the main person who spoke with you about having a test, treatment, or operation?

1 My personal doctor

2 A doctor from the hospital

3 A nurse from the hospital

4 I don't know

5 No one spoke to me about a test, treatment, or operation.

6 Other: _____

1. An interpreter is someone who helps you talk with others who do not speak your language. Did you use an interpreter to speak with that person?

    1 No, I speak English very well.

    2 No, we spoke in English although I do not speak English very well.

    3 No, that person spoke my language very well (for example, we both speak Spanish very well).

    4 No, that person spoke my language a little.

    5 Yes, we spoke with the help of an interpreter provided by the hospital.

    6 Yes, we spoke with the help of my friend or family member.

Explanations about the Main Test, Treatment or Operation.

Think about the main test, treatment, or operation you talked about.

2. Did the main person who spoke to you explain what would likely happen if you had the test, treatment or operation?

    1 Yes

    2 No → If no, go to Question 7

3. Was the explanation about what would likely happen if you had the test, treatment, or operation easy to understand?

    1 Yes, definitely

    2 Yes, somewhat

    3 No

4. Did that person ask you to describe your understanding of what would likely happen if you had the test, treatment, or operation?

    1 Yes

    2 No

5. Did that person explain what might go wrong and how likely it was that something would go wrong?

    1 Yes

    2 No → If no, go to Question 7

6. Was the explanation about what might go wrong and how likely it was easy to understand?

    1 Y

About the Discussion.

11. Did the main person who spoke to you listen carefully to you?

    1 Yes

    2 No

12. Did that person spend enough time with you?

    1 Yes

    2 No

13. Did that person ask you what matters most to you in choosing what to do?

    1 Yes

    2 No

14. Did that person encourage you to ask questions?

    1 Yes

    2 No

15. After the discussion, did you have any questions that were not answered?

    1 Yes

    2 No → If no, go to Question 17

16. Why were your questions not answered?

    1 I asked, but I didn't get an answer.

    2 I asked, but the response didn't answer my questions.

    3 I asked, but the response was hard to understand.

    4 There wasn't enough time to ask questions.

    5 I didn't feel that I could ask questions.

    6 Other:_____

17.

21. Did anyone help you read the form?

1 Yes, someone from the hospital read it to me in English.

2 Y

Appendix B: Patient Survey to Assess Informed Consent—Spanish Version

The following survey is intended to obtain feedback from patients immediately following an informed consent discussion to provide evaluative or quality improvement information to hospitals to assess and improve their informed consent processes using strategies described in AHRQ's Making Informed Consent an Informed Choice Training Modules.

Instructions on How To Administer the Survey

Aim: This survey can be used in a quality improvement or evaluation effort after improvements to the informed consent process are implemented to measure informed consent explanations and associated patient understanding. This survey can also be used to identify weaknesses in the informed consent discussion, specifically if key components of informed consent are explained to patients and whether they understood the explanations.

Content: This survey can be given to patients or their family members who are asked to provide consent to tests, treatments, or procedures. This survey asks patients or surrogate decisionmakers to determine whether key components of a comprehensive informed consent discussion were explained and whether the explanations were easy for patients to understand. It also asks about unanswered questions, overall satisfaction with the consent discussion and the consent form.

IRB: If appropriate per hospital policy, the hospital IRB should approve use of this survey before administering it to patients.

Patients to exclude: Patients and surrogate decisionmakers should be excluded if completing the survey might present undue burden at a very stressful time in their hospital stap(d:e2 w)19.ey mightt4.9(e)14.9(y before adminis8.9(e)1s/MCImar092 w)19.ey mightSpan conv9en

Encuesta Para Pacientes

Estamos haciendo este encuesta para entender cómo mejorar el proceso de consentimiento informado para los tratamientos mØdicos—un proceso por el cual se le explica a un paciente los riesgos y los bene f cios de tratamientos o procedimientos mØdicos ofrecidos y de sus alternativas, y con esa información, el paciente toma su decisión.

Le estamos solicitando que responda las siguientes preguntas basÆndose en la conversación que acaba de tener con el mØdico o enfermera (o) sobre la necesidad de hacerse a una prueba, un tratamiento o una operación. Sus respuestas ayudarÆn al hospital a entender quØ información obtienen los pacientes antes de otorgar su consentimiento para pruebas, tratamientos u operaciones. Eso ayudarÆ al hospital a hacer mejoras.

Antes de que complete este formulario, debe saber lo siguiente:

- Su participación es voluntaria.
- Completar esta encuesta generalmente durarÆ menos de 5 minutos.
- No estÆ obligado a completar esta encuesta.
- Esta encuesta no recopila información personal de usted o de su salud.
- No habrÆ ningœn tipo de cambio en su atención mØdica si no participa en esta encuesta.
- Su relación con sus proveedores mØdicos o de salud no cambiarÆ si no participa en esta encuesta.
- Si decide participar en la encuesta, puede dejar de responder las preguntas en cualquier momento.
- No hay ningœn costo para completar la encuesta.
- El riesgo principal de este estudio es un pequeæo riesgo de pØrdida de con f dencialidad. El equipo de investigación tiene muchos procesos para reducir este riesgo.

Quién habló con usted.

¿QuiØn fue la persona principal que habló con usted sobre la necesidad de realizarse una prueba, un tratamiento o una operación?

1 Mi mØdico personal

2 Un mØdico del hospital

3 Una (o) enfermera (o) del hospital

4 No sØ

5 Nadie habló conmigo sobre la necesidad de realizarme una prueba, un tratamiento o una operación

6 Otro: _____

1. Un intØrprete es alguien que le ayuda a comunicarse con otras personas que no hablan su mismo idioma. ¿Utilizó el servicio de un intØrprete para hablar con esa persona?

   1 No, hablo muy bien InglØs.

   2 No, hablamos en InglØs aunque yo no lo hablo muy bien.

   3 No, la persona hablaba mi idioma muy bien (por ejemplo, los dos hablamos muy bien espaæol).

   4 No, esa persona habló un poco en mi idioma.

   5 Sí, hablamos con la ayuda de un intØrprete proporcionado por el hospital.

   6 Sí, hablamos con la ayuda de un intØrprete que no proporcionó el hospital.

g7ØEb_1 1 Tf99 TBDC /TAActualTex(cnOliSpa55(BDC /T1_1 1 Tf14 0 0 14 138 4369tualText (Øab)T

4. ¿Esa persona le pidió que describiera lo que entendió sobre lo que probablemente sucedería si se realiza la prueba, el tratamiento o la operación?

    1 Sí

    2 No

5. ¿Esa persona le explicó qué podría salir mal y qué probabilidad había de que algo saliera mal?

    1

9. La asistencia para decisiones brinda información y le ayuda a pensar en sus opciones de pruebas, tratamientos u operaciones. La asistencia para decisiones puede ser en papel o en un video, una grabación de audio o un programa de computadora. ¿Alguien le mostró o le dio alguna asistencia para decisiones para que la usara?

    1 Sí

    2 No Si la respuesta es no, pase a la pregunta 11

10. ¿Le fue œtil la asistencia para decisiones para decidir si realizarse o no a una prueba, un tratamiento o una operación?

    1 Sí

    2 No

    3 No la usØ

Acerca de la conversación.

11.

15. DespuØs de la conversación, ¿tuvo alguna pregunta que no fuera respondida?

1 Sí

2 No Si la respuesta es no, pase a la pregunta 17

16. ¿Por quØ no obtuvo respuestas a sus preguntas?

1 PreguntØ, pero no obtuve una respuesta.

2 PreguntØ, pero la respuesta no respondió mis preguntas.

3 PreguntØ, pero fue difícil entender la respuesta.

4 No hubo su f ciente tiempo para hacer preguntas.

5 No sentí que pudiera hacer preguntas.

6 Otro:_____

17.

El formulario de consentimiento.

20. ¿El formulario de consentimiento que se le solicitó que fırmara para la prueba, el tratamiento o la operación estaba en un idioma que usted lee muy bien?

    1 Sí, estaba en InglØs y yo leo muy bien en InglØs.

    2 Sí, estaba en mi idioma (que no es el InglØs) y yo leo muy bien en mi idioma.

    3 No, estaba en InglØs y yo no leo muy bien en InglØs.

La persona que completó la encuesta.

23. Seleccione la opción que mejor describe a la persona que respondió estas preguntas.

1 Soy el paciente.

2 Soy el padre, la madre, el tutor legal o el representante en cuestiones de atención mØdica del paciente.

3 Soy un familiar o un amigo del paciente.

4 Otro _____

Appendix C: Health Care Professional Survey to Assess Informed Consent

Instructions on Administration of the Survey

The health care professional survey can be administered via paper or through an online

Survey

We are surveying you to understand how to improve the informed consent process[1] —a process by which a patient is told about the risks and benefits of proposed tests, treatments, or procedures, as well as alternatives, and makes a decision based on that information.

If you agree to participate in this survey, we will:

- Ask you questions about your hospital's informed consent policies and processes, your self-reported use of evidence-based practices described in the health care professional training module, a self-assessment of your informed consent process effectiveness, and your attitude regarding patients' rights in informed consent.
- Ask you about your experiences, to capture how learning and strategy implementation affected behavior, and/or yielded results.

Before you take the survey you sikrielded results.

Role in Informed Consent.

1.

	Strongly Disagree	Disagree	Neither Agree Nor Disagree	Agree	Strongly Agree
g) I know how to handle cases when informed consent was obtained before the patient came to the hospital.					
h) I am clear about my role in the informed consent process.					

Current Informed Consent Process.

3. For tests/treatments/procedures that require informed consent, how frequently do clinicians in your unit do the following when obtaining informed consent?

Check “DK” (Don’t Know) if you don’t know what clinicians do in your unit.

	Never	Sometimes	Usually	Always	DK
a) Assess patients’ decisionmaking capacity					
b) Allocate ample time in private space					
c) Use health literacy universal precautions					
d) Call for quali ed interpreters when conducting a consent discussion with a patient who speaks a different language					
e) Offer choices, including the option of doing nothing					
f) Engage patients, family, and friends in the consent discussion					
g) Elicit goals and values					
h) Encourage questions					
i) Use high-quality structured patient decision aids (e.g., tool to help a patient understand the bene ts, harms, and risks of a test, treatment, or procedure and make a decision)					
j) Neutrally explain the bene ts, harms, and risks of all options					
k) Use teach-back techniques to check patient understanding					
l) Better document the informed consent discussion					
m) Ask patients to con rm consent immediately before test, treatment, or procedure when consent has been given in advance					

4. For tests/treatments/procedures that require informed consent, how frequently do you do the following when obtaining informed consent?

Check “NA” (not applicable) if the statement does not apply to your responsibilities or you don’t know what the statement is referring to.

	Never	Sometimes	Usually	Always	DK
a) Assess patients’ decisionmaking capacity					
b) Allocate ample time in private space					
c) Use health literacy universal precautions					
d) Call for quali ed interpreters when conducting a consent discussion with a patient who speaks a different language					
e) Offer choices, including the option of doing nothing					
f) Engage patients, family, and friends in the consent discussion					
g) Elicit goals and values					
h) Encourage questionh					
i) Use high-quality structured patient decision aids (e.g., tool to help a patient understand the bene ts, harms, and risks of a test, treatment, or procedure and make a decision)					
j) Neutrally explain the bene ts, harms, and risks of all options					
k) Use teach-back techniques to check patient understanding					
l) Better document the informed consent discussion					
m) Ask patients to con rm consent immediately before test, treatment, or procedure when consent has been given in advance					

Informed Consent Process Overall Effectiveness.

5. On a scale from 1 to 10 where 1 is the worst and 10 is the best, how well does your unit ensure patients are making an informed choice?

    1 – Worst

    2

    3

    4

    5

    6

    7

    8

    9

    10 – Best

    DK – Don't know

6. On a scale from 1 to 10 where 1 is the worst and 10 is the best, how well do you ensure patients are making an informed choice?

    1 – Worst

    2

    3

    4

    5

    6

    7

    8

    9

    10 – Best

    N/A – I'm not involved in the consent process

Teach-Back Self Ef cacy

Teach-back is a way to check that you have explained to patients what they need to know in a manner that they understand. Patient understanding is con f rmed when they are able to explain it back to you in their own words.

7. On a scale from 1 to 10, how con f dent are you in your ability to use teach-back in an informed consent discussion? (1 = "not at all con f dent", 10 = "very con f dent")

    1 – not at all con f dent

    2

    3

    4

    5

    6

    7

    8

    9

    10 – very con f dent

    N/A – I'm not involved in the consent process

Attitudes about Informed Consent

8. To what extent do you agree or disagree with the following statements:

	Strongly Disagree	Disagree	Neither Agree Nor Disagree	Agree	Strongly Agree
a) Clinicians should encourage patients to talk about their values when deciding whether to consent to a test, treatment, or procedure.					
b) Clinicians are in a better position than patients to decide which tests, treatments, or procedures patients need.					
c) Clinicians should not present alternatives that are demonstrably less effective.					
d) Refusing a life-saving treatment or procedure demonstrates that the patient is not capable of making a sound decision.					

	Strongly Disagree	Disagree	Neither Agree Nor Disagree	Agree	Strongly Agree
e) Clinicians are responsible for ensuring that patients understand all their options before making a decision.					
f) Getting the patient's signature on a consent form is the most critical part of the informed consent process.					
g) Lack of patient understanding of bene ts, harms, and risks of treatments is a serious patient safety problem.					
h) The informed consent process is worth the time it takes.					
i) The chief purpose of informed consent processes is to comply with regulations and be protected from lawsuits.					

Background Information.[1]

This information will help in the analysis of the survey results.

9. How long have you worked in this hospital?

a. Less than 1 year
b. 1 to 5 years
c. 6 to 10 years
d. 11 to 15 years
e. 16 to 20 years
f. 21 yþ

11. What is your staff position in this hospital? Select ONE answer that best describes your staff position.

a. Registered Nurse
b. Physician Assistant/ Nurse Practitioner
c. LVN/LPN
d. Patient Care Asst/ Hospital Aide/Care Partner
e. Attending/Staff Physician
f. Resident Physician/ Physician in Training
g. Pharmacist
h. Dietician
i. Unit Assistant/Clerk/Secretary
j. Respiratory Therapist
k. Physical, Occupational, or Speech Therapist
l. Technician (e.g., EKG, Lab, Radiology)
m. Administration/Management
n. Other, please specify:

12. How long have you worked in your current specialty or profession?

a. Less than 1 year
b. 1 to 5 years
c. 6 to 10 years
d. 11 to 15 years
e. 16 to 20 years
f. 21 years or more

13. In your staff position, do you typically have direct interaction or contact with patients?

a.

AHRQ Publication No. 17-0016-1-EF
January 2017